

P C T

E P US

国際調査報告

(法 8 条、法施行規則第40、41条)  
〔P C T 1 8 条、P C T 規則43、44〕

出願人又は代理人 の書類記号 G 8 3 6 - P C T	今後の手続きについては、国際調査報告の送付通知様式(P C T / I S A / 2 2 0 ) 及び下記 5 を参照すること。	
国際出願番号 P C T / J P 9 9 / 0 2 1 2 6	国際出願日 (日.月.年) 2 1 . 0 4 . 9 9	優先日 (日.月.年) 2 1 . 0 4 . 9 8
出願人 (氏名又は名称) 帝人株式会社		

国際調査機関が作成したこの国際調査報告を法施行規則第41条 ( P C T 1 8 条 ) の規定に従い出願人に送付する。  
この写しは国際事務局にも送付される。

この国際調査報告は、全部で 2 ページである。

☐ この調査報告に引用された先行技術文献の写しも添付されている。

## 1. 国際調査報告の基礎

a. 言語は、下記に示す場合を除くほか、この国際出願がされたものに基づき国際調査を行った。

☐ この国際調査機関に提出された国際出願の翻訳文に基づき国際調査を行った。

b. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際調査を行った。

☐ この国際出願に含まれる書面による配列表

☐ この国際出願と共に提出されたフレキシブルディスクによる配列表

☐ 出願後に、この国際調査機関に提出された書面による配列表

☐ 出願後に、この国際調査機関に提出されたフレキシブルディスクによる配列表

☐ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった。

☐ 書面による配列表に記載した配列とフレキシブルディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。

2. ☐ 請求の範囲の一部の調査ができない (第 I 欄参照)。

3. ☐ 発明の単一性が欠如している (第 II 欄参照)。

4. 発明の名称は ☒ 出願人が提出したものを承認する。

☐ 次に示すように国際調査機関が作成した。

5. 要約は ☒ 出願人が提出したものを承認する。

☐ 第 III 欄に示されているように、法施行規則第47条 ( P C T 規則38.2(b) ) の規定により国際調査機関が作成した。出願人は、この国際調査報告の発送の日から 1 カ月以内にこの国際調査機関に意見を提出することができる。

6. 要約書とともに公表される図は、

第 1 図とする。 ☒ 出願人が示したとおりである。

☐ なし

☐ 出願人は図を示さなかった。

☐ 本図は発明の特徴を一層よく表している。

## A. 発明の属する分野の分類 (国際特許分類 (IPC))

Int. Cl.<sup>8</sup> A61K9/00, A61K47/38, A61K47/02, A61K45/00,  
A61K31/40, A61K31/19, A61K31/35, A61K31/56, A61K38/23

## B. 調査を行った分野

## 調査を行った最小限資料 (国際特許分類 (IPC))

Int. Cl.<sup>8</sup> A61K9/00, A61K47/38, A61K47/02, A61K45/00,  
A61K31/40, A61K31/19, A61K31/35, A61K31/56, A61K38/23

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語)

## C. 関連すると認められる文献

引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
A	J P, 63-303931, A (住友製薬株式会社), 12.12月.1988 (12.12.88) (ファミリーなし)	1, 3-30
A	J P, 2-262526, A (サンド・アクチエンゲゼルシャ フト), 25.10月.1990 (25.10.90) & US, 5733569, A & FR, 253826, A & DE, 3335086, A	1, 3-30
X	J P, 7-188059, A (ロート製薬株式会社), 25.7月. 1995 (25.07.95) (ファミリーなし)	2, 17-30
X	J P, 9-235220, A (株式会社三和化学研究所), 9. 9月.1997 (09.09.97) & EP, 781546, A1	2, 17-30

☐ C欄の続きにも文献が列举されている。

☐ パテントファミリーに関する別紙を参照。

## \* 引用文献のカテゴリー

- 「A」 特に関連のある文献ではなく、一般的技術水準を示すもの  
「E」 国際出願日前の出願または特許であるが、国際出願日以後に公表されたもの  
「L」 優先権主張に疑義を提起する文献又は他の文献の発行日若しくは他の特別な理由を確立するために引用する文献 (理由を付す)  
「O」 口頭による開示、使用、展示等に言及する文献  
「P」 国際出願日前で、かつ優先権の主張の基礎となる出願

の日の後に公表された文献

- 「T」 国際出願日又は優先日後に公表された文献であって出願と矛盾するものではなく、発明の原理又は理論の理解のために引用するもの  
「X」 特に関連のある文献であって、当該文献のみで発明の新規性又は進歩性がないと考えられるもの  
「Y」 特に関連のある文献であって、当該文献と他の1以上の文献との、当業者にとって自明である組合せによって進歩性がないと考えられるもの  
「&」 同一パテントファミリー文献

国際調査を完了した日

26.07.99

国際調査報告の発送日

03.08.99

国際調査機関の名称及びあて先

日本国特許庁 (ISA/J P)

郵便番号 100-8915

東京都千代田区霞が関三丁目4番3号

特許庁審査官 (権限のある職員)

谷口 博

4 C

7 4 3 2

電話番号 03-3581-1101 内線 3452

to the mucosa according to claim 8, wherein said osmotic pressure-controlling agent is a water-soluble sugar.

12. The pharmaceutical composition for application to the mucosa according to claim 11, wherein said osmotic pressure-controlling agent is glucose.

13. The pharmaceutical composition for application to the mucosa according to claim 1 or any of claims 3 to 12, wherein said water-insoluble and/or water-low soluble substance is a cellulose.

14. The pharmaceutical composition for application to the mucosa according to claim 13, wherein said cellulose is crystalline cellulose.

15. The pharmaceutical composition for application to the mucosa according to claim 1 or any of claims 3 to 12, wherein said one or more water-insoluble and/or water-low soluble substance is present as solid particles in an aqueous medium.

16. The pharmaceutical composition for application to the mucosa according to claim 1 or any of claims 3 to 12, wherein said one or more water-insoluble and/or water-low soluble substance is dispersed as solid particles in an aqueous medium.

17. The pharmaceutical composition for application to the mucosa according to any of claims 1 to 16, further comprising a water-soluble polymer substance.

18. The pharmaceutical composition for application to the mucosa according to claim 17, wherein said water-soluble polymer is one or more selected from the group consisting of alginic acid, polyethylene glycol, glycerin, polyoxyethylene polyoxypropylene glycol, propylene glycol, pectin, low methoxyl pectin, guar gum, gum arabic, carrageenan, methyl cellulose, carboxymethyl cellulose sodium, xanthan gum, hydroxypropyl cellulose, and hydroxypropyl methyl cellulose.

19. The pharmaceutical composition for application to the mucosa according to claim 18, wherein said water-soluble polymer is carboxymethyl cellulose sodium.

REPHRASE BY ART 19

20. The pharmaceutical composition for application to the mucosa according to claim 18, wherein said water-soluble polymer is xanthan gum.

5 21. The pharmaceutical composition for application to the mucosa according to claim 18, wherein said water-soluble polymer is hydroxypropyl methyl cellulose.

10 22. The pharmaceutical composition for application to the mucosa according to claim 17, wherein the combination of said water-insoluble substance and water-soluble polymer is crystalline cellulose carmellose sodium.

23. The pharmaceutical composition for application to the mucosa according to any of claims 1 to 22, further comprising a surfactant.

15 24. The pharmaceutical composition for application to the mucosa according to claim 23, wherein said surfactant is polysorbate 80.

20 25. The pharmaceutical composition for application to the mucosa according to any of claims 1 to 24, wherein said medicament is a water-soluble medicament.

26. The pharmaceutical composition for application to the mucosa according to any of claims 1 to 26, wherein said medicament is a liposoluble medicament.

25 27. The pharmaceutical composition for application to the mucosa according to any of claims 1 to 26, wherein said mucosa is nasal mucosa.

30 28. The pharmaceutical composition for application to the mucosa according to any of claims 2 to 27, wherein said hemostatic agent is one or more selected from the group consisting of tranexamic acid, epsilon aminocaproic acid, carbazochrome, carbazochrome sulfonate, carbazochrome sodium sulfonate, phytonadione, etamsylate, monoethanol amine oleate, thrombin, hemocoagulase, and adrenochrome monoaminoguanidine mesilate.

35 29. The pharmaceutical composition for application to the mucosa according to any of claims 2 to 28, wherein the agent other than said hemostatic agent is one or more

selected from the group consisting of an antiallergic agent, an antihistamic agent, an anticholinergic agent, a steroid, a vaccine, and a substance for gene therapy, and the mucosa is nasal mucosa.

- 5           30. The pharmaceutical composition for application to nasal mucosa according to claim 29, wherein the agent other than said hemostatic agent is a steroid.